

## MATERIAL SAFETY DATA SHEET

---

**SECTION 1: MATERIAL INFORMATION AND USE**

---

Material Name: **FAUX LIKE A PRO POLISHED, WASHED & WEATHERED PLASTERS**

Classification: Not WHMIS CONTROLLED - WATERBASED PRODUCTS

Material Use: Decorative Finishes

Manufacturer: FAUX LIKE A PRO

119 BRAINTREE STREET

ALLSTON, MA 02134 – Telephone: 888-765-4950

Prepared by M. Palak, Chemist.

---

**SECTION 2: COMPONENT INFORMATION**

---

Ingredients:	CAS, NA or UN number
Acrylic copolymer emulsion	Proprietary
Surfactant	Proprietary
Water	7732 – 18 - 5
Coalescing agent	25265 – 77 – 4
Titanium dioxide	13463 – 67 - 7
Kaolin clay	1332 – 58 - 7
Calcium carbonate	471 – 34 - 1

---

**SECTION 3: PHYSICAL DATA FOR MATERIAL**

---

<b>PHYSICAL STATE</b> Thick paste	<b>ODOR THRESHOLD</b> N/D	<b>VAPOR PRESSURE</b> N/D
<b>VAPOR DENSITY</b> (Air = 1) < 1 Water	<b>EVAPORATION RATE</b> (N-Butylacetate = 1) < 1 Water	<b>SPECIFIC GRAVITY</b> 1.6 @ 23°C
<b>BOILING POINT</b> 100 Celsius Degrees Water	<b>MELTING POINT</b> VOC ASTM D-2359 Zero	<b>DENSITY (g/ml)</b> 1.6 @ 23°C
<b>SOLUBILITY IN WATER</b> (g/ml @ 20c) Miscible	<b>% VOLATILE (v/v)</b> 18 - 22	<b>pH</b> 8.7 – 8.9

---

**SECTION 4: FIRE AND EXPLOSION HAZARDS**

---

FLAMMABILITY: YES: \_\_\_\_\_ NO:   x  

FLASH POINT: 120°C (C.O.C.)

---

**SECTION 5: TOXICOLOGICAL PROPERTIES OF MATERIAL**

---

SKIN ABSORPTION: No evidence of harmful effects from available information

EYE CONTACT: May cause irritation

INGESTION: May cause irritation of stomach with abdominal discomfort

---

**SECTION 6: FIRST AID MEASURES**

---

SKIN: Flush with running water.

EYE: Flush eyes with water. Contact physician if discomfort persists.

INHALATION: Move victim to fresh air. Contact physician if symptoms persist.

INGESTION: If victim is alert and not convulsing, give ½ to 1 glass of water to dilute the material. Do not induce vomiting. If spontaneous vomiting occurs, have victim lean forward with head down to avoid breathing in of vomit, rinse mouth and administer more water. Obtain medical attention.

---

**SECTION 7: TRANSPORT**

---

U.S. DEPT. OF TRANSPORT, 49CFR 172.101

SHIPPING NAME N/R      HAZARD CLASS N/R      PACKING      GROUP  
N/R

LABLING REQUIREMENTS NONE

MARCH, 2002

**Disclaimer**

*Note To the best of our knowledge, the information herein is accurate. However, neither the above, or supplier, assume any liability for the accuracy or completeness of the information contained herein. Final determination for the suitability is the sole responsibility of the user. Although certain hazards are described herein, we cannot guarantee that they are the only ones that exist.*

